

SECTION I - PRODUCT IDENTIFICATION

Trade Name: **Releasebag 125**
Product Class:
Supplier: **Airtech International, Inc.**
5700 Skylab Road
Huntington Beach, CA 92647
Telephone: 714-899-8100
Fax: 714-899-8179

Emergency Telephone: **800-424-9300**

NFPA Ratings: Health = 0 Fire = 0 Reactivity = 0
(scale 0-4)

Formula: Proprietary

SECTION II - HAZARDOUS INGREDIENTS

Other contaminants: E - Caprolactam = or less than 3%
Exposure limits: ACGIH/TWA
Values: PPM = 5
MG/M3 = 1

SECTION III - PHYSICAL DATA

Description: Thin film or sheet
Boiling Point: N/A
Specific Gravity: 1.0 - 1.15
Vapor pressure: N/A
Vapor density: N/A
Evaporation rate: N/A
Solubility in water: Insoluble
Appearance: Thin Green film

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point (estimated): 343°C (650°F)
Flammable limits: N/A
Extinguishing Media: Water spray, and dry chemical, foam, or carbon dioxide

Auto Ignition Temperature: > 570°C (> 1058°F) (estimated)
Fire Fighting Procedure:

Use water spray to cool fire. Use NIOSH/MSHA approved respiratory protection for fire fighting. Smoke and noxious gases (carbon monoxide, hydrocarbons, ammonia, hydrogen cyanide) evolved upon burning. Self-contained breathing apparatus in any closed space.

SECTION V - HEALTH HAZARD DATA

Toxicity: See Section II
Carcinogen status: Not a known carcinogen

EMERGENCY AND FIRST AID PROCEDURE:

In Case of Inhalation: Film is not respirable
In Case of Skin Contact: Wash with soap and water
In Case of Ingestion: (swallowing) Not a probable route of exposure
In Case of Eye Contact: Not a probable route of exposure.

SECTION VI - REACTIVITY DATA

Stability: Stable
Incompatibilities: (materials to avoid) None known

Hazardous decomposition:

Temperature over 355°F may result in thermal decomposition. Combustion may produce CO, CO₂, H₂O. Acetic acid, aldehydes, and other organic oxidation products. C₁ or HG1 gases may also be liberated.

Hazardous polymerization:

Will not occur

SECTION VII - SPILL, LEAK, DISPOSAL PROCEDURE

Steps to be taken in case material is released or spilled:

Sweep and discard

Waste disposal method:

Sweep up waste material and recycle, incinerate or landfill in conformity with local disposal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Ventilation:

Provide local exhaust. Follow state and local regulations.

Respiratory Protection:

Not required if proper ventilation is provided.

Gloves:

N/A

Eye Protection: Safety glasses for good industrial hygiene practice.

Other protective equipment:

N/A

Hygienic Practices:

N/A

SECTION IX – SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing:

Store at 50%-55% R.H. at 70°F – 75°F.

Other precautions:

Inhalation (breathing): If exposed to excessive fumes from over-heating or combustion, move to fresh air.

USER'S RESPONSIBILITY

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation.

DISCLAIMER OF LIABILITY

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user.

Jeff Madsen

From: kevinb@fiberlay.com
Sent: Thursday, September 15, 2011 1:42 PM
To: jeff@fiberlay.com; bill@fiberlay.com
Cc: danl@fiberlay.com
Subject: airtech order
Attachments: BRN001BA9605C1C_003915.pdf

Jeff/ bill

Can you please order

2 rolls of 18030181 (Teflon tape)

And attached is a new product form for

Release bag 125 (60"x 1m x 1000') cost 234.00

Please order me one roll of that I will wright a order when I have part number.

thanks

Kevin Bagg

619.298.9989

Fiberlay

kevinb@fiberlay.com