

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Form:

Substance Name: Pro Glas 1200 Epoxy Resin Side A

Product Code(s): 100120107, 100120108, 100120109, 100120110, 100120113, 100120115

Synonyms

1.2 Details of the Supplier of the Safety Data Sheet

Fiberlay Inc. 1468 Northgate Blvd Sarasota, FL 34234 T 206-782-0660 F 888-782-0662 www.Fiberlay.com

1.3 Emergency Telephone Number

Emergency Number: CHEMTREC: Domestic - 800-424-9300 International- 703-527-3887

2. HAZARDS IDENTIFICATION

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2A

Sensitization, skin Category 1

Specific target organ toxicity, single Category 3 respiratory tract

exposure irritation

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin

reaction. May cause respiratory irritation.

Precautionary statement:

Prevention Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.

> Wear **protective** gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be

allowed out of the workplace.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get

medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash

before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Disposal

Dispose of contents/container in accordance with local / regional / National /

international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixtures:

Chemical Name	CAS No.	%
Epoxy Resin	Proprietary	60-100
Glycidylether of C12-C14 alcohols	Proprietary	1-20

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas

concentrations are in percent by volume.

4. FIRST AID MEASURES

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact: Remove contaminated clothing immediately and wash skin with soap and

water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before

reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Most Important symptoms / effects, acute and delayed:

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed:

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information:

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical:

During fire, hazardous combustion products are released that may include: Carbon oxides (COx). Halogenated compounds.

Special protective equipment and precautions for firefighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighting equipment/instructions: Move containers from fire area if you can do so without risk

Specific methods: Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards: No unusual fire or explosion hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up: This product is miscible in water.

Large Spills:

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions:

Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits: No exposure limits noted for ingredient(s).

Biological limit values: No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls: No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.

Individual protection measures, such as personal protective equipment Eye/face protection: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Wear safety glasses with side shields (or goggles).

Skin protection Hand protection: Chemical resistant gloves.

Skin protection Other: Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection: No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations: When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State:	Liquid
Form:	Viscous liquid
Color:	Clear
Odor:	Slight
Odor threshold:	Not available
pH:	Not available
Melting point / freezing point:	Not available
Initial boiling point and range:	Not available
Flash point	Not available

Evaporation rate:	Not available
Flammability (solid , gas)	Not applicable
Upper / lower flammability or explosive limits:	
Flammability limit – lower (%)	Not available
Flammability limit – upper (%)	Not available
Explosive limit – lower (%)	Not available
Explosive limit – upper (%)	Not available
Vapor pressure:	Not available
Vapor density:	Not available
Solubility(ies):	
Solubility (water):	Slightly soluble in water
Partition coefficient (n-octanol / water):	Not available
Auto-ignition temperature:	Not available
Viscosity:	Not available
Other information:	
Explosive properties:	Not available
Oxidizing properties:	Not available

10. STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport. Read and follow manufacturer's recommendations.

Chemical stability: Stable under normal temperature conditions and recommended use.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Contact with incompatible materials. Avoid high temperatures. Heating this resin above 300°F in the presence of air may cause slow oxidative decomposition. When product is mixed with Part B and left in a large mass a vigorous exothermic reaction may occur, and may result in charring of the reactants.

Incompatible materials: Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids. This can cause violent reactions.

Hazardous decomposition products: None expected under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact: Causes skin irritation. May cause sensitization by skin contact.

Eye contact: Causes eye irritation.

Ingestion: Under normal conditions of intended use, this material does not pose a risk to health. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics: Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Information on toxicological effects Acute toxicity: Not expected to be a hazard under normal conditions of intended use. May be harmful if swallowed.

Chemical	Acute	Species	Test Results
Epoxy Resin (CAS Proprietary)	Dermal LD50	Rat	>2000 mg/kg
	Oral LD50	Rat	>5000 mg/kg

^{*}Estimates for product may be based on additional component data not shown

Skin corrosion / irritation: Causes skin irritation

Serious eye damage / eye irritation: Causes eye irritation

Respiratory or skin sensitization:

Respiratory sensitization: Due to partial or complete lack of data the classification is not possible.

Skin sensitization: May cause sensitization by skin contact.

Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive Toxicity: Not classified

Specific target organ toxicity:

Single Exposure: Not classified

Repeated Exposure: Not classified

Aspiration hazard: Due to the high viscosity the product is not an aspiration hazard.

Chronic effects: Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment.

Components			Species	Test Results
Epoxy resin		Fish LC50	Salmo gairdneri	1.5 mg/l, 96 hours
	Aquatic	Crustacea EC50	Daphnia magna	27 mg/l, 48 hours

Persistence and degradability: No data is available on the degradability of this product.

Bioaccumulative potential: No data available

Mobility in soil: No data available.

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Disposal instructions:

Local disposal regulations Hazardous waste code: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional / national / international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products / Contaminated packaging: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to MARPOL 73/78 and the IBC Code: Not established

15. REGULATORY INFORMATION

US federal regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication. Standard, 29 CFR 1910.1200; all components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4): Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories:

Immediate Hazard: Yes

Delayed Hazard: No

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

SARA 302 Extremely hazardous substance: Not listed

SARA 311/312

Hazardous chemical: Yes

SARA 313 (TRI reporting): Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated

Safe Drinking Water Act (SDWA): Not regulated

US state regulations

US. Massachusetts RTK - Substance List: Not regulated

US. New Jersey Worker and Community Right-to-Know Act: Not listed

US. Pennsylvania Worker and Community Right-to-Know Law: Not listed

US. Rhode Island RTK: Not regulated

US. California Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Epoxy Resin (CAS proprietary)

International	Inventory Name		On Inventory	
Inventories			(yes / no)*	
Australia	Australia	an Inventory of Chemical Substances (AICS)	Yes	
Canada	Domesti	Domestic Substances List (DSL)		
Canada	Non-Dor	Non-Domestic Substances List (NDSL)		
China	Inventor	Inventory of Existing Chemical Substances in China (IECSC)		
Europe	Europea	European Inventory of Existing Commercial Chemical Substances (EINECS)		
Europe	European List of Notified Chemical Substances (ELINCS)		No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)		No	
Korea	Existing Chemicals List (ECL)		Yes	
New Zealand	ew Zealand New Zealand Inventory		Yes	
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS)		Yes		
United States & Puert	o Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A **"No"** indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

HMIS Ratings:

Health: 2 Flammability: 0 Physical Hazard: 0

HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

Proglas believes the law requires us to inform you that detectable amounts of any of the listed chemicals might be present in Proglas products. Based on a review of the list, Proglas products, like all synthetic and naturally occurring chemical substances, may conceivably contain trace contaminants of some of the listed substances. While not necessarily added to our products as ingredients, some of the listed chemicals may be present in the raw materials as received from suppliers over which we have no control.

"Warning: This product may contain trace amounts of some chemicals considered by the State of California to be carcinogens or reproductive Toxicants."

Preparation Date: 11-24-15 Prepared by: Kevin Aber

Comments: This Safety Data Sheet was prepared using information provided by Proglas

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Proglas assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.

PREMIUM EPOXY RESIN SYSTEMS